

Selected Facts for Travis County - 1998

Demography

Estimated Population: 709,692 Population Rank Among Texas' 254 Counties: 5


Population Per Square Mile: Area in Square Miles:

49.8 %

50.4 %

County

State



| Age | Females | Males | Total | Percent |
|---------|---------|---------|---------|---------|
| 0 - 4 | 28,750 | 30,302 | 59,052 | 8.3 % |
| 5 - 14 | 50,381 | 53,209 | 103,590 | 14.6 % |
| 15 - 44 | 181,459 | 189,194 | 370,653 | 52.2 % |
| 45 - 64 | 62,572 | 61,706 | 124,278 | 17.5 % |
| Over 64 | 30,514 | 21,605 | 52,119 | 7.3 % |
| Total | 353,676 | 356,016 | 709,692 | 100.0 % |
| | | | | |

50.2 %

49.6 %

| Socioeconomic Indicators | | | | | | | | |
|--|----------------|------------------|--|--|--|--|--|--|
| | County | State | | | | | | |
| Unemployment Rate | 2.8 % | 4.8 % | | | | | | |
| Average Monthly TANF (Temporary Assistance to Needy Families) Recipients | 11,323 | 474,755 | | | | | | |
| Average Monthly Food Stamp Participants | 39,808 | 1,705,795 | | | | | | |
| Medicaid Expenditures ¹ | \$ 187,451,109 | \$ 7,139,928,839 | | | | | | |

| Medicaid (Title XIX) | | |
|----------------------------------|--------|-----------|
| , , | County | State |
| Unduplicated Count of: | | |
| Medicaid Eligibles ² | 65,817 | 2,680,583 |
| Medicaid Recipients ² | 52,165 | 2,324,810 |
| Medicaid Clients Served: | | |
| Physicians Services | 25,263 | 1,783,470 |
| Inpatient Hospital Services | 7,121 | 444,750 |
| Outpatient Hospital Services | 12,985 | 1,011,359 |
| Prescribed Medications | 40,408 | 1,894,447 |
| Family Planning Services | 3,154 | 181,434 |
| THSteps (EPSDT) Checkups | 12,369 | 1,103,223 |

| Natality | | | | |
|-----------------------------|------------------------|----------|-------------|--------|
| - | | | PERC | ENT |
| | | Number 3 | County | State |
| Total Live Births | | 12,614 | | |
| Adolescent Moth | ners (<18) | 643 | 5.1 % | 6.4 % |
| Unmarried Moth | ers | 3,712 | 29.5 % | 31.5 % |
| Low Birth Weigh | ıt ³ | 910 | 7.2 % | 7.4 % |
| Late or No Prena | atal Care ³ | 2,211 | 17.7 % | 20.7 % |
| Fertility Rate ⁴ | County: | 69.5 | State: 76.1 | |

| Communicable Diseases - Reported Cases | | | | | | | |
|--|--------|--------|-------|--|--|--|--|
| | Number | County | State | | | | |
| Tuberculosis | 69 | 9.7 | 9.2 | | | | |
| Sexually Transmitted Diseases | | | | | | | |
| Primary and Secondary Syphilis | 15 | | 2.2 | | | | |
| Gonorrhea | 1,797 | 253.2 | 166.7 | | | | |
| Chlamydia | 3,017 | 425.1 | 306.8 | | | | |
| AIDS | 265 | 37.3 | 21.3 | | | | |
| Hepatitis A | 177 | 24.9 | 17.9 | | | | |
| Varicella (chickenpox) | 2,070 | 291.7 | 103.7 | | | | |

| Mortality | | RAT | E ⁴ | | RAT | | |
|------------------------|----------|--------|----------------|----------------------------------|---------------------|--------|-------|
| | Deaths 3 | County | State | | Deaths ³ | County | State |
| Deaths From All Causes | 3,643 | 447.6 | 504.1 | Diabetes | 103 | 13.9 | 17.8 |
| Cardiovascular Disease | 1,293 | 148.8 | 179.7 | Unintentional Injury (Accidents) | 222 | 30.3 | 34.0 |
| Heart Disease | 995 | 116.0 | 139.3 | Motor Vehicle Injury | 102 | 14.3 | 18.7 |
| Stroke | 214 | 23.1 | 29.5 | Homicide | 41 | 5.6 | 7.5 |
| All Cancer | 839 | 113.0 | 124.0 | Suicide | 80 | 10.9 | 10.4 |
| Lung Cancer | 228 | 32.6 | 37.6 | Work-related Injury | 13 | | 2.3 |
| Female Breast Cancer | 73 | 19.5 | 18.7 | | | | |
| Chronic Obstructive | | | | Infant Deaths | 70 | 5.5 | 6.4 |
| Pulmonary Disease | 156 | 18.9 | 21.9 | Fetal Deaths ³ | 78 | 6.2 | 5.8 |

¹ Excluding Disproportionate Share Hospital payments.

² A county with more recipients than eligibles may reflect claims paid for a service rendered to a recipient in a prior fiscal year.

³ All births and deaths are by county of residence. Low birth weight represents live-born infants weighing less than 2,500 grams at birth. Late prenatal care refers to mothers who did not receive prenatal care during the first trimester of pregnancy. Fetal deaths are those occurring after 20 weeks gestation and prior to birth.

⁴ Fertility rates are per 1,000 women ages 15 - 44. Infant death rates and fetal death rates are per 1,000 live births. Work-related injury death rates are per 100,000 population. The remaining death rates have been age-adjusted to the 1940 U.S. standard population per 100,000 population. Communicable disease rates are also per 100,000 population. Rates and percents have not been calculated if 20 or fewer births, deaths or cases occurred, as indicated by "----"

| State | Health Facilities |
|---------|---|
| 28,903 | County State |
| 684 | Acute Care Hospitals |
| 3,890 | Licensed Beds 2,069 72,554 |
| 2,377 | Staffed Beds |
| 150,817 | Disproportionate share hospital |
| 131 | payments\$ 25,002,692 \$1,064,966,545 |
| 6,991 | |
| 2,826 | Nursing Homes |
| , | Licensed Beds |
| 9,929 | |
| | 28,903 684 3,890 2,377 150,817 131 6,991 2,826 |

Some subcounty areas/populations in Travis County were designated as a Health Professional Shortage Area and some subcounty areas/populations in Travis County were designated as a Medically Underserved Area as of January 31, 2000. For updated information, please check with the Health Professions Resource Center at 512-458-7261 or at http://www.tdh.state.tx.us/dpa/.

Texas Department of Health Program Summary for Travis County

| Breast and Cervical Cancer Control Program ² Mammograms performed | Primary Health Care/COPH Services ² Reported clients served |
|--|---|
| Children's Health Services Children's health services available to county residents No Chronically III and Disabled Children's Services ² | Women's Health Services Prenatal and postpartum care services available to county residents |
| Eligible children | Kidney Health Care ² ESRD patients receiving life-sustaining treatments |
| Emergency Medical Services Ambulances permitted | Radiation Control Program Health-related permit locations. 602 Certified mammography locations. 20 |
| Family Planning Services (Title V and XX) Family planning services available to county residents Yes | Tuberculosis Elimination Division ¹ TB cases completing drug therapy |
| Food and Drug Safety Facilities licensed, registered, permitted or accredited | Women, Infants, and Children's Nutrition ² Clients receiving benefits |
| Immunization Division Vaccine doses administered (less than age 20) 137,052 | Zoonosis Control Number of animals diagnosed positive for rabies |
| Oral Health Services ² Children receiving dental care | Austin-Travis County Dept of Health & Human Services |
| Children provided with dental education 7,038 | TDH funding |

¹Data are reported by county of location of the provider.

²Data are reported by county of residence of the client.

Rankings by Selected Demographic and Public Health Measures 1996-1998 Average Values

Please note that the values presented on this page are based on a three-year average; they will not agree with values and rates shown on pages 1 and 2 of this fact sheet.

| Demography | Value | Rank Q | uartile | Comparison with Texas | Range of Values Ranked | Texas Value |
|--------------------------------|---------|---------|---------|-----------------------|---------------------------|----------------|
| Population (3-yr. avg.) | 694,583 | 5/254 | 4 | N/A | 96 - 3,159,990 | 19,442,404 |
| Percent Minority ¹ | 37.5 % | 91/254 | 3 | LOW | 3.8 % - 97.9 % | 42.1 % |
| Percent age 0 - 4 | 8.3 % | 32/254 | 4 | LOW | 0.0 % - 14.0 % | 8.5 % |
| Percent age 65+ | 7.3 % | 244/254 | 1 | LOW | 4.8 % - 33.1 % | 10.1 % |
| Unemployment Rate ² | 3.1 % | 213/254 | 1 | LOW | 1.7 % - 32.8 % | 5.3 % |

¹ Minority population is defined as black, Hispanic or other

² Percent of the active labor force

| Natality | Value | Rank Q | uartile | Comparison with Texas | Range of Values Ranked | Texas Value |
|---------------------------------------|--------|---------|---------|-----------------------|---------------------------|----------------|
| Births (3-yr. total) 36,119 | | | | | | |
| Birth Rate ³ | 17.3 | 25/254 | 4 | | 0.0 - 28.0 | 17.3 |
| Fertility Rate ⁴ | 67.0 | 113/254 | 3 | LOW | 0.0 - 121.6 | 75.3 |
| Unmarried Mothers | 27.6 % | 168/250 | 2 | LOW | 11.3 % - 54.2 % | 30.9 % |
| Late or No Prenatal Care ⁵ | 17.4 % | 185/250 | 2 | LOW | 4.8% - 43.1 % | 21.3 % |
| Adolescent Mothers ⁶ | 5.3 % | 201/249 | 1 | LOW | 0.0 % - 13.5 % | 5.9 % |
| Low Birth Weight ⁷ | 6.8 % | 167/250 | 2 | LOW | 0.0 % - 14.9 % | 7.3 % |

³ Live Births per 1,000 population

⁷ Live-born infants weighing less than 2,500 grams as % of all births (-- in column indicates no births)

| Mortality | Value | Rank Q | uartile | Comparison with Texas | Range of Values Ranked | Texas Value |
|-------------------------------|-------|---------|---------|-----------------------|---------------------------|----------------|
| Deaths (3-yr. total) 10,874 | | | | | | |
| Death Rate | 459.2 | 214/249 | 1 | LOW | 313.7 - 713.2 | 513.1 |
| Heart Disease Rate | 112.7 | 218/238 | 1 | LOW | 78.2 - 237.3 | 143.3 |
| Stroke Rate | 26.7 | 129/176 | 2 | LOW | 14.9 - 53.6 | 30.4 |
| Cancer Rate | 116.8 | 179/230 | 2 | LOW | 63.4 - 203.7 | 126.0 |
| COPD Rate | 21.1 | 103/145 | 2 | | 6.0 - 55.1 | 22.3 |
| Diabetes Rate | 14.0 | 100/112 | 2 | LOW | 8.1 - 49.0 | 17.7 |
| Accident Rate | 29.6 | 134/152 | 1 | LOW | 22.9 - 115.9 | 34.0 |
| Infant Mortality ⁸ | 5.9 | 34/46 | 2 | | 3.7 - 11.1 | 6.4 |

⁸ Infant Mortality is deaths of infants under the age of one year per 1,000 live births (-- in column indicates no births)
All other death rates are per 100,000 population and are age adjusted to the 1940 U.S. standard population

| Morbidity | Value | Rank Q | uartile | Comparison with Texas | Range of Values Ranked | Texas Value |
|------------------------------|------------|--------|---------|-----------------------|---------------------------|----------------|
| Chlamydia Rate | 417.2 | 8/191 | 4 | HIGH | 29.3 - 570.9 | 264.5 |
| Gonorrhea Rate | 225.1 | 7/119 | 4 | HIGH | 11.9 - 344.3 | 141.7 |
| AIDS Rate | 34.8 | 3/35 | 4 | HIGH | 6.0 - 53.3 | 23.7 |
| Reported Cases per 100 000 F | Population | | | | | |

A rank of 1 indicates that the measure is the highest value among all ranked counties.

Mortality and morbidity measures with 20 or less numerator events in the three-year period are not ranked (NR). Natality measures based on a denominator of 20 or less are not ranked (NR). The second number in the rank column indicates the number of counties ranked for that measure. Quartiles are reported for all counties. A value of 1 indicates that the measure falls in the lowest 25% of all values, 2 in the next 25%, etc.

The designation of HIGH or LOW reflects a statistical comparison with the overall rate for Texas. Lack of a HIGH/LOW designation indicates either that the rate is not sufficiently different from the Texas rate or that it is not based on a sufficiently large number of events. This comparison is made for all 254 counties. Rates and values for counties or regions with small amounts of data should be used with caution as they are more susceptible to random variation and may not provide consistent estimates. Rates that appear to be high or low, but that do not have a HIGH/LOW designation are particularly unreliable. Conversely, small differences in rates that may be of little practical importance can produce a statistically significant comparison if they are based on a large amount of data. This is particularly likely to occur in regional comparisons, or with very large counties.

⁴ Live Births per 1,000 females age 15 – 44

⁵ Births to mothers who did not receive prenatal care in first trimester of pregnancy as % of all births (-- in column indicates no births)

⁶ Births to mothers less than 18 years old as % of all births (-- in column indicates no births)